



2013 ICD-10-CM Diagnosis Codes

Related to Speech, Language, and Swallowing Disorders

*The codes in ICD-10 are not valid for any purpose or use in the United States until
October 1, 2014.*

General Information

This ASHA document provides a listing of the *2013 International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM)* codes related to speech, language, and swallowing disorders. This document is **not** a comprehensive list and a number of codes are included for information purposes only. Entries with only three or four digits may require coding to a higher degree of specificity than indicated here. However, in general, speech-language pathology related diagnoses will be listed to their highest level of specificity.

The codes in ICD-10 are not valid for any purpose or use in the United States until October 1, 2014. For more information on the transition, see www.asha.org/Practice/reimbursement/coding/ICD-10/.

For the most up-to-date information on ICD coding, go to ASHA's Billing and Reimbursement website at www.asha.org/practice/reimbursement/coding/.

For additional information, contact the health care economics and advocacy team by e-mail at reimbursement@asha.org.

Table of Contents

ICD-10-CM DIAGNOSTIC CODES	4
Overview	4
Scope	4
Purpose	4
Relation to Professional Scope of Practice.....	4
Official ICD-10-CM Websites	4
ASHA Resources	4
ICD-10-CM Tabular List of Diseases and Injuries	5
Ch. 2 Neoplasms (C00-D49)	5
Ch. 5 Mental, behavioral, and neurodevelopmental disorders (F01-F99)	6
Ch. 6 Diseases of the nervous system (G00-G99)	11
Ch. 9 Diseases of the circulatory system (I00-I99)	14
Ch. 10 Diseases of the respiratory system (J00-J99).....	17
Ch. 11 Diseases of the digestive system (K00-K95)	20
Ch. 13 Diseases of the musculoskeletal system and connective tissue (M00-M99)	21
Ch. 16 Certain conditions originating in the perinatal period (P00-P96)	23
Ch. 17 Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	23
Ch. 18 Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99).....	27
Ch. 19 Injury, poisoning and certain other consequences of external causes (S00-T88)	31
Ch. 21 Factors Influencing Health Status and Contact with Health Services (Z00-Z99)	33
INSTRUCTIONAL NOTATIONS	38

ICD-10-CM Diagnostic Codes

Overview

On October 1, 2014, the **International Classification of Diseases, 10th Revision (ICD-10)** will replace ICD-9 (9th Revision) as the official system of assigning codes to diagnoses and procedures associated with hospital utilization in the United States. The **ICD** is also used to code and classify mortality data from death certificates.

The new ICD-10 will include the ICD-10-CM (clinical modification) and ICD-10-PCS (procedure coding system). The ICD-10 is owned by the World Health Organization (WHO). The clinical modification was developed by the Centers for Disease Control and Prevention for use in all U.S. health care treatment settings. The procedure coding system (i.e., ICD-9-PCS and ICD-10-PCS) was developed by the Centers for Medicare and Medicaid Services for use in the U.S. for inpatient hospital settings only. **This product only includes speech-language pathology related ICD-10-CM codes.**

Scope

The intent of ICD-10-CM is to standardize disease and procedure classification throughout the United States and to gather data about basic health statistics.

Purpose

HIPAA legislation requires the ICD-10-CM to be used for health services billing and record keeping. As noted above, the effective implementation date for ICD-10-CM (and ICD-10-PCS) is October 1, 2014. Updates to this version of ICD-10-CM are anticipated prior to its implementation.

Relation to Professional Scope of Practice

The speech-language pathologist practicing in a health care setting, especially a hospital, may have to code delivery of services according to the ICD-10-CM.

Official ICD-10-CM Websites

- National Center for Health Statistics: www.cdc.gov/nchs/icd/icd10.htm
- Centers for Medicare and Medicaid Services: www.cms.gov/ICD10/
- ICD-10-CM Official Guidelines for Coding and Reporting: www.cdc.gov/nchs/data/icd10/10cmguidelines_2013_final.pdf

ASHA Resources

- ICD-9 to ICD-10 Mapping Tool for Audiologists and Speech-Language Pathologists: www.asha.org/icdmapping.aspx
- ICD-10-CM Diagnosis Codes for Audiology and Speech-Language Pathology: www.asha.org/Practice/reimbursement/coding/ICD-10/
- ICD-9-CM Diagnosis Codes for Speech-Language Pathology: www.asha.org/practice/reimbursement/coding/icd9SLP/
- Coding Normal Results: www.asha.org/practice/reimbursement/coding/normalresults/
- Coding to the Highest Degree of Specificity: www.asha.org/practice/reimbursement/coding/codespecificity/

ICD-10-CM Tabular List of Diseases and Injuries

Related to speech, language, and swallowing disorders

Note: This is **not** a comprehensive list and a number of codes are included for information purposes only. Some categories of codes (e.g., neoplasms) may be more extensive, contain additional instructional notes, and may also require coding to a higher degree of specificity than indicated here. However, in general, speech-language pathology related diagnoses will be listed to their highest level of specificity. For a full list of ICD-10-CM codes, descriptors, and instructions, see the official ICD-10-CM publication at ftp://ftp.cdc.gov/pub/Health_Statistics/NCHS/Publications/ICD10CM/2013/ICD10CM_FY2013_Full_PDF.zip.

Ch. 2 Neoplasms (C00-D49)

Malignant neoplasms of lip, oral cavity, and pharynx (C00-C14)

- C00 Malignant neoplasm of lip
 - C00.0 Malignant neoplasm of external upper lip
 - C00.1 Malignant neoplasm of external lower lip
 - C00.2 Malignant neoplasm of external lip, unspecified
 - C00.3 Malignant neoplasm of upper lip, inner aspect
 - C00.4 Malignant neoplasm of lower lip, inner aspect
 - C00.5 Malignant neoplasm of lip, unspecified, inner aspect
 - C00.6 Malignant neoplasm of commissure of lip, unspecified
 - C00.8 Malignant neoplasm of overlapping sites of lip
 - C00.9 Malignant neoplasm of lip, unspecified
- C01 Malignant neoplasm of base of tongue
- C02 Malignant neoplasm of other and unspecified parts of tongue
 - C02.0 Malignant neoplasm of dorsal surface of tongue
 - C02.1 Malignant neoplasm of border of tongue
 - C02.2 Malignant neoplasm of ventral surface of tongue
 - C02.3 Malignant neoplasm of anterior two-thirds of tongue, part unspecified
 - C02.4 Malignant neoplasm of lingual tonsil
 - C02.8 Malignant neoplasm of overlapping sites of tongue
 - C02.9 Malignant neoplasm of tongue, unspecified
- ◈ C03 Malignant neoplasm of gum
- ◈ C04 Malignant neoplasm of floor of mouth
- C05 Malignant neoplasm of palate
 - C05.0 Malignant neoplasm of hard palate
 - C05.1 Malignant neoplasm of soft palate
 - C05.2 Malignant neoplasm of uvula
- ◈ C06 Malignant neoplasm of other and unspecified parts of mouth
- ◈ C08 Malignant neoplasm of other and unspecified major salivary glands
- ◈ C09 Malignant neoplasm of tonsil
- C10 Malignant neoplasm of oropharynx
 - C10.1 Malignant neoplasm of anterior surface of epiglottis
 - C10.2 Malignant neoplasm of lateral wall of oropharynx
 - C10.3 Malignant neoplasm of posterior wall of oropharynx
- C11 Malignant neoplasm of nasopharynx
 - C11.0 Malignant neoplasm of superior wall of nasopharynx

- C11.1 Malignant neoplasm of posterior wall of nasopharynx
- C11.2 Malignant neoplasm of lateral wall of nasopharynx
- C11.3 Malignant neoplasm of anterior wall of nasopharynx
- C11.8 Malignant neoplasm of overlapping sites of nasopharynx
- C14 Malignant neoplasm of other and ill-defined sites in the lip, oral cavity and pharynx
 - C14.0 Malignant neoplasm of pharynx, unspecified
- ♦ C15 Malignant neoplasm of esophagus

Malignant neoplasms of digestive organs (C15-C26)

Malignant neoplasms of respiratory and intrathoracic organs (C30-C39)

- ♦ C30 Malignant neoplasm of nasal cavity and middle ear
- C32 Malignant neoplasm of larynx
 - C32.0 Malignant neoplasm of glottis
 - C32.1 Malignant neoplasm of supraglottis
 - C32.2 Malignant neoplasm of subglottis
 - C32.3 Malignant neoplasm of laryngeal cartilage
 - C32.8 Malignant neoplasm of overlapping sites of larynx
 - C32.9 Malignant neoplasm of larynx, unspecified
- ♦ C33 Malignant neoplasm of trachea

Malignant neoplasms of eye, brain and other parts of central nervous system (C69-C72)

- ♦ C71 Malignant neoplasm of brain

In situ neoplasms (D00-D09)

- D00 Carcinoma in situ of oral cavity, esophagus and stomach
 - D00.07 Carcinoma in situ of tongue
- D02 Carcinoma in situ of middle ear and respiratory system
 - D02.1 Carcinoma in situ of trachea

Benign neoplasms, except benign neuroendocrine tumors (D10-D36)

- ♦ D10 Benign neoplasm of mouth and pharynx
- D14 Benign neoplasm of middle ear and respiratory system
 - D14.1 Benign neoplasm of larynx
 - D14.2 Benign neoplasm of trachea
- ♦ D33 Benign neoplasm of brain and other parts of central nervous system
- ♦ D38 Neoplasm of uncertain behavior of middle ear and respiratory and intrathoracic organs

Ch. 5 Mental, behavioral, and neurodevelopmental disorders (F01-F99)

Mental disorders due to known physiological conditions (F01-F09)

- F01 Vascular dementia
 - F01.5 Vascular dementia
 - F01.50 Vascular dementia without behavioral disturbance
 - F01.51 Vascular dementia with behavioral disturbance
- F02 Dementia in other diseases classified elsewhere

Code first the underlying physiological condition, such as:

- Alzheimer's (G30.-)
- cerebral lipodosis (E75.4)
- Creutzfeldt-Jakob disease (A81.0-)

dementia with Lewy bodies (G31.83)
 epilepsy and recurrent seizures (G40.-)
 frontotemporal dementia (G31.09)
 hepatolenticular degeneration (E83.0)
 human immunodeficiency virus [HIV] disease (B20)
 hypercalcemia (E83.52)
 hypothyroidism, acquired (E00-E03.-)
 intoxications (T36-T65)
 Jakob-Creutzfeldt disease (A81.0-)
 multiple sclerosis (G35)
 neurosyphilis (A52.17)
 niacin deficiency [pellagra] (E52)
 Parkinson's disease (G20)
 Pick's disease (G31.01)
 polyarteritis nodosa (M30.0)
 systemic lupus erythematosus (M32.-)
 trypanosomiasis (B56.-, B57.-)
 vitamin B deficiency (E53.8)

F02.8 Dementia in other diseases classified elsewhere

F02.80 Dementia in other diseases classified elsewhere, without behavioral disturbance

F02.81 Dementia in other diseases classified elsewhere, with behavioral disturbance

F03 Unspecified dementia

F03.9 Unspecified dementia

F03.90 Unspecified dementia without behavioral disturbance
Dementia NOS

F03.91 Unspecified dementia with behavioral disturbance

Unspecified dementia with aggressive behavior

Unspecified dementia with combative behavior

Unspecified dementia with violent behavior

Use additional code, if applicable, to identify wandering in unspecified dementia (Z91.83)

Schizophrenia, schizotypal, delusional, and other non-mood psychotic disorders (F20-F29)

♦ F20 Schizophrenia

Intellectual Disabilities (F70-F79)

Code first any associated physical or developmental disorders

Excludes1: borderline intellectual functioning, IQ above 70 to 84 (R41.83)

F70 Mild intellectual disabilities

IQ level 50-55 to approximately 70

Mild mental subnormality

F71 Moderate intellectual disabilities

IQ level 35-40 to 50-55

Moderate mental subnormality

F72 Severe intellectual disabilities

IQ 20-25 to 35-40

Severe mental subnormality

- F73 Profound intellectual disabilities
 - IQ level below 20-25
 - Profound mental subnormality
- F78 Other intellectual disabilities
- F79 Unspecified intellectual disabilities
 - Mental deficiency NOS
 - Mental subnormality NOS

Pervasive and specific developmental disorders (F80-F89)

F80 Specific developmental disorders of speech and language

- ✓ F80.0 Phonological disorder
 - Dyslalia
 - Functional speech articulation disorder
 - Lalling
 - Lisping
 - Phonological developmental disorder
 - Speech articulation developmental disorder
 - Excludes1:** speech articulation impairment due to aphasia NOS (R47.01)
 - speech articulation impairment due to apraxia (R48.2)
 - Excludes2:** speech articulation impairment due to hearing loss (F80.4)
 - speech articulation impairment due to intellectual disabilities (F70-F79)
 - speech articulation impairment with expressive language developmental disorder (F80.1)
 - speech articulation impairment with mixed receptive expressive language developmental disorder (F80.2)
- ✓ F80.1 Expressive language disorder
 - Developmental dysphasia or aphasia, expressive type
 - Excludes1:** mixed receptive-expressive language disorder (F80.2)
 - dysphasia and aphasia NOS (R47.-)
 - Excludes2:** acquired aphasia with epilepsy [Landau-Kleffner] (G40.80-)
 - selective mutism (F94.0)
 - intellectual disabilities (F70-F79)
 - pervasive developmental disorders (F84.-)
- ✓ F80.2 Mixed receptive-expressive language disorder
 - Developmental dysphasia or aphasia, receptive type
 - Developmental Wernicke's aphasia
 - Excludes1:** central auditory processing disorder (H93.25)
 - dysphasia or aphasia NOS (R47.-)
 - expressive language disorder (F80.1)
 - expressive type dysphasia or aphasia (F80.1)
 - word deafness (H93.25)
 - Excludes2:** acquired aphasia with epilepsy [Landau-Kleffner] (G40.80-)
 - pervasive developmental disorders (F84.-)
 - selective mutism (F94.0)
 - intellectual disabilities (F70-F79)
- ✓ F80.4 Speech and language development delay due to hearing loss
 - Code also** type of hearing loss (H90.-, H91.-)
- F80.8 Other developmental disorders of speech and language

- ✓ F80.81 Childhood onset fluency disorder
 - Cluttering NOS
 - Stuttering NOS
 - Excludes1:** adult onset fluency disorder (F98.5)
 - fluency disorder in conditions classified elsewhere (R47.82)
 - fluency disorder (stuttering) following cerebrovascular disease (I69. with final characters-23)
- F80.89 Other developmental disorders of speech and language
- F80.9 Developmental disorder of speech and language, unspecified
 - Communication disorder NOS
 - Language disorder NOS
- F81 Specific developmental disorders of scholastic skills
 - F81.0 Specific reading disorder
 - 'Backward reading'
 - Developmental dyslexia
 - Specific reading retardation
 - Excludes1:** alexia NOS (R48.0)
 - dyslexia NOS (R48.0)
 - F81.2 Mathematics disorder
 - Developmental acalculia
 - Developmental arithmetical disorder
 - Developmental Gerstmann's syndrome
 - Excludes1:** acalculia NOS (R48.8)
 - Excludes2:** arithmetical difficulties associated with a reading disorder (F81.0)
 - arithmetical difficulties associated with a spelling disorder (F81.81)
 - arithmetical difficulties due to inadequate teaching (Z55.8)
 - F81.8 Other developmental disorders of scholastic skills
 - F81.81 Disorder of written expression
 - Specific spelling disorder
 - F81.89 Other developmental disorders of scholastic skills
 - F81.9 Developmental disorder of scholastic skills, unspecified
 - Knowledge acquisition disability NOS
 - Learning disability NOS
 - Learning disorder NOS
- F82 Specific developmental disorder of motor function
 - Clumsy child syndrome
 - Developmental coordination disorder
 - Developmental dyspraxia
 - Excludes1:** abnormalities of gait and mobility (R26.-)
 - lack of coordination (R27.-)
 - Excludes2:** lack of coordination secondary to intellectual disabilities (F70-F79)
- F84 Pervasive developmental disorders
 - Use additional** code to identify any associated medical condition and intellectual disabilities.
 - ✓ F84.0 Autistic disorder
 - Infantile autism
 - Infantile psychosis
 - Kanner's syndrome
 - Excludes1:** Asperger's syndrome (F84.5)

- F84.2 Rett's syndrome
 - Excludes1:** Asperger's syndrome (F84.5)
 - Autistic disorder (F84.0)
 - Other childhood disintegrative disorder (F84.3)
 - F84.3 Other childhood disintegrative disorder
 - Dementia infantilis
 - Disintegrative psychosis
 - Heller's syndrome
 - Symbiotic psychosis
 - Use additional code to identify any associated neurological condition.
 - Excludes1:** Asperger's syndrome (F84.5)
 - Autistic disorder (F84.0)
 - Rett's syndrome (F84.2)
 - ✓ F84.5 Asperger's syndrome
 - Asperger's disorder
 - Autistic psychopathy
 - Schizoid disorder of childhood
 - ✓ F84.8 Other pervasive developmental disorders
 - Overactive disorder associated with intellectual disabilities and stereotyped movements
 - F84.9 Pervasive developmental disorder, unspecified
 - Atypical autism
 - F88 Other disorders of psychological development
 - Developmental agnosia
 - F89 Unspecified disorder of psychological development
- Behavioral and emotional disorders with onset usually occurring in childhood and adolescence (F90-F98)*
- F90 Attention-deficit hyperactivity disorders
 - Includes:** attention deficit disorder with hyperactivity
 - attention deficit syndrome with hyperactivity
 - Excludes2:** anxiety disorders (F40.-, F41.-)
 - mood [affective] disorders (F30-F39)
 - pervasive developmental disorders (F84.-)
 - schizophrenia (F20.-)
 - F90.0 Attention-deficit hyperactivity disorder, predominantly inattentive type
 - F90.1 Attention-deficit hyperactivity disorder, predominantly hyperactive type
 - F90.2 Attention-deficit hyperactivity disorder, combined type
 - F90.8 Attention-deficit hyperactivity disorder, other type
 - F90.9 Attention-deficit hyperactivity disorder, unspecified type
 - F94 Disorders of social functioning with onset specific to childhood and adolescence
 - F94.0 Selective mutism
 - Elective mutism
 - Excludes2:** pervasive developmental disorders (F84.-)
 - schizophrenia (F20.-)
 - specific developmental disorders of speech and language (F80.-)
 - transient mutism as part of separation anxiety in young children (F93.0)
 - F98 Other behavioral and emotional disorders with onset usually occurring in childhood and adolescence

F98.5 Adult onset fluency disorder

Excludes1: childhood onset fluency disorder (F80.81)

dysphasia (R47.02)

fluency disorder in conditions classified elsewhere (R47.82)

fluency disorder (stuttering) following cerebrovascular disease (I69. with final characters -23)

tic disorders (F95.-)

Ch. 6 Diseases of the nervous system (G00-G99)

Inflammatory diseases of the central nervous system (G00-G09)

G00 Bacterial meningitis, not elsewhere classified

G00.0 Hemophilus meningitis

G00.1 Pneumococcal meningitis

G00.2 Streptococcal meningitis

Use additional code to further identify organism (B95.0-B95.5)

G00.3 Staphylococcal meningitis

Use additional code to further identify organism (B95.6-B95.8)

G00.8 Other bacterial meningitis

G00.9 Bacterial meningitis, unspecified

◊ G04 Encephalitis, myelitis and encephalomyelitis

Systemic atrophies primarily affecting the central nervous system (G10-G14)

G10 Huntington's disease

G12 Spinal muscular atrophy and related syndromes

G12.2 Motor neuron disease

G12.21 Amyotrophic lateral sclerosis

Extrapyramidal and movement disorders (G20-G26)

G20 Parkinson's disease

Hemiparkinsonism

Idiopathic Parkinsonism or Parkinson's disease

Paralysis agitans

Parkinsonism or Parkinson's disease NOS

Primary Parkinsonism or Parkinson's disease

Excludes1: dementia with Parkinsonism (G31.83)

G21 Secondary parkinsonism

Excludes1: dementia with Parkinsonism (G31.83)

Huntington's disease (G10)

Shy-Drager syndrome (G90.3)

syphilitic Parkinsonism (A52.19)

G21.0 Malignant neuroleptic syndrome

G21.1 Other drug-induced secondary parkinsonism

G21.11 Neuroleptic induced parkinsonism

Use additional code for adverse effect, if applicable, to identify drug (T43.3X5, T43.4X5, T43.505, T43.595)

Excludes1: malignant neuroleptic syndrome (G21.0)

G21.19 Other drug induced secondary parkinsonism

Use additional code for adverse effect, if applicable, to identify drug (T36-T50 with fifth or sixth character 5)

G21.2 Secondary parkinsonism due to other external agents

Code first (T51-T65) to identify external agent

G21.3 Postencephalitic parkinsonism

G21.4 Vascular parkinsonism

G21.8 Other secondary parkinsonism

G21.9 Secondary parkinsonism, unspecified

Other degenerative diseases of the nervous system (G30-G32)

G30 Alzheimer's disease

Includes: Alzheimer's dementia senile and presenile forms

Use additional code to identify:

delirium, if applicable (F05)

dementia with behavioral disturbance (F02.81)

dementia without behavioral disturbance (F02.80)

Excludes1: senile degeneration of brain NEC (G31.1)

senile dementia NOS (F03)

senility NOS (R41.81)

G30.0 Alzheimer's disease with early onset

G30.1 Alzheimer's disease with late onset

G30.8 Other Alzheimer's disease

G30.9 Alzheimer's disease, unspecified

G31 Other degenerative diseases of nervous system, not elsewhere classified

Use additional code to identify: dementia with behavioral disturbance (F02.81)

dementia without behavioral disturbance (F02.80)

Excludes2: Reye's syndrome (G93.7)

G31.0 Frontotemporal dementia

G31.01 Pick's disease

Circumscribed brain atrophy

Progressive isolated aphasia

G31.09 Other frontotemporal dementia

Frontal dementia

G31.1 Senile degeneration of brain, not elsewhere classified

Excludes1: Alzheimer's disease (G30.-)

senility NOS (R41.81)

G31.8 Other specified degenerative diseases of nervous system

G31.84 Mild cognitive impairment, so stated

Excludes1: age related cognitive decline (R41.81)

altered mental status (R41.82)

cerebral degeneration (G31.9)

change in mental status (R41.82)

cognitive deficits following (sequelae of) cerebral hemorrhage or infarction (I69.01, I69.11, I69.21, I69.31, I69.81, I69.91)

cognitive impairment due to intracranial or head injury (S06.-)

dementia (F01.-, F02.-, F03)

mild memory disturbance (F06.8)

neurologic neglect syndrome (R41.4)

personality change, nonpsychotic (F68.8)

Demyelinating diseases of the central nervous system (G35-G37)

- G35 Multiple sclerosis
 - Disseminated multiple sclerosis
 - Generalized multiple sclerosis
 - Multiple sclerosis NOS
 - Multiple sclerosis of brain stem
 - Multiple sclerosis of cord

Episodic and paroxysmal disorders (G40-G47)

- G40 Epilepsy and recurrent seizures
 - G40.8 Other epilepsy and recurrent seizures
 - Epilepsies and epileptic syndromes undetermined as to whether they are focal or generalized
 - Landau-Kleffner syndrome
 - G40.80 Other epilepsy
 - G40.801 Other epilepsy, not intractable, with status epilepticus
 - G40.802 Other epilepsy, not intractable, without status epilepticus
 - Other epilepsy NOS
 - Other epilepsy without intractability without status epilepticus
 - G40.803 Other epilepsy, intractable, with status epilepticus
 - G40.804 Other epilepsy, intractable, without status epilepticus
- ◊ G45 Transient cerebral ischemic attacks and related syndromes
- ◊ G46 Vascular syndromes of brain in cerebrovascular diseases

Nerve, nerve root and plexus disorders (G50-G59)

- G51 Facial nerve disorders
 - Includes:** disorders of 7th cranial nerve
 - G51.0 Bell's palsy
 - Facial palsy
 - G51.1 Geniculate ganglionitis
 - Excludes1:** postherpetic geniculate ganglionitis (B02.21)
 - G51.2 Melkersson's syndrome
 - Melkersson-Rosenthal syndrome
 - G51.3 Clonic hemifacial spasm
 - G51.4 Facial myokymia
 - G51.8 Other disorders of facial nerve
 - G51.9 Disorder of facial nerve, unspecified

Cerebral palsy and other paralytic syndromes (G80-G83)

- G80 Cerebral palsy
 - Excludes1:** hereditary spastic paraplegia (G11.4)
 - G80.0 Spastic quadriplegic cerebral palsy
 - Congenital spastic paralysis (cerebral)
 - G80.1 Spastic diplegic cerebral palsy
 - Spastic cerebral palsy NOS
 - G80.2 Spastic hemiplegic cerebral palsy

- G80.3 Athetoid cerebral palsy
 - Double athetosis (syndrome)
 - Dyskinetic cerebral palsy
 - Dystonic cerebral palsy
 - Vogt disease
- G80.4 Ataxic cerebral palsy
- G80.8 Other cerebral palsy
 - Mixed cerebral palsy syndromes
- G80.9 Cerebral palsy, unspecified
 - Cerebral palsy NOS

◊ G81 Hemiplegia and hemiparesis

Note: This category is to be used only when hemiplegia (complete)(incomplete) is reported without further specification, or is stated to be old or longstanding but of unspecified cause. The category is also for use in multiple coding to identify these types of hemiplegia resulting from any cause.

Excludes1: congenital cerebral palsy (G80.-)
 hemiplegia and hemiparesis due to sequela of cerebrovascular disease (I69.05-, I69.15-, I69.25-, I69.35-, I69.45-, I69.85-, I69.95-)

Other disorders of the nervous system (G89-G99)

- ◊ G91 Hydrocephalus
- ◊ G93 Other disorders of brain
- G96 Other disorders of central nervous system
 - G96.0 Cerebrospinal fluid leak

Excludes1: cerebrospinal fluid leak from spinal puncture (G97.0)

Ch. 9 Diseases of the circulatory system (I00-I99)

Pulmonary heart disease and diseases of pulmonary circulation (I26-I28)

Other forms of heart disease (I30-I52)

- ◊ I46 Cardiac arrest

Cerebrovascular diseases (I60-I69)

- ◊ I63 Cerebral infarction
- I69 Sequelae of cerebrovascular disease

The original ICD-9 series for cerebrovascular disease (438) is expanded under ICD-10. Check the entire **I69.-** category before assigning a code.

Note: Category I69 is to be used to indicate conditions in I60-I67 as the cause of sequelae. The 'sequelae' include conditions specified as such or as residuals which may occur at any time after the onset of the causal condition.

- I69.0 Sequelae of nontraumatic subarachnoid hemorrhage
 - I69.00 Unspecified sequelae of nontraumatic subarachnoid hemorrhage
 - I69.01 Cognitive deficits following nontraumatic subarachnoid hemorrhage
 - I69.02 Speech and language deficits following nontraumatic subarachnoid hemorrhage
 - ✓ I69.020 Aphasia following nontraumatic subarachnoid hemorrhage
 - ✓ I69.021 Dysphasia following nontraumatic subarachnoid hemorrhage
 - ✓ I69.022 Dysarthria following nontraumatic subarachnoid hemorrhage
 - ✓ I69.023 Fluency disorder following nontraumatic subarachnoid hemorrhage
 - Stuttering following nontraumatic subarachnoid hemorrhage
 - ✓ I69.028 Other speech and language deficits following nontraumatic subarachnoid hemorrhage

- I69.09 Other sequelae of nontraumatic subarachnoid hemorrhage
 - ✓ I69.090 Apraxia following nontraumatic subarachnoid hemorrhage
 - ✓ I69.091 Dysphagia following nontraumatic subarachnoid hemorrhage
 - Use additional** code to identify the type of dysphagia, if known (R13.1-)
 - I69.092 Facial weakness following nontraumatic subarachnoid hemorrhage
 - Facial droop following nontraumatic subarachnoid hemorrhage
 - I69.093 Ataxia following nontraumatic subarachnoid hemorrhage
 - I69.098 Other sequelae following nontraumatic subarachnoid hemorrhage
 - Alterations of sensation following nontraumatic subarachnoid hemorrhage
 - Disturbance of vision following nontraumatic subarachnoid hemorrhage
 - Use additional** code to identify the sequelae
- I69.1 Sequelae of nontraumatic intracerebral hemorrhage
 - I69.10 Unspecified sequelae of nontraumatic intracerebral hemorrhage
 - I69.11 Cognitive deficits following nontraumatic intracerebral hemorrhage
 - I69.12 Speech and language deficits following nontraumatic intracerebral hemorrhage
 - ✓ I69.120 Aphasia following nontraumatic intracerebral hemorrhage
 - ✓ I69.121 Dysphasia following nontraumatic intracerebral hemorrhage
 - ✓ I69.122 Dysarthria following nontraumatic intracerebral hemorrhage
 - ✓ I69.123 Fluency disorder following nontraumatic intracerebral hemorrhage
 - Stuttering following nontraumatic subarachnoid hemorrhage
 - ✓ I69.128 Other speech and language deficits following nontraumatic intracerebral hemorrhage
 - I69.19 Other sequelae of nontraumatic intracerebral hemorrhage
 - ✓ I69.190 Apraxia following nontraumatic intracerebral hemorrhage
 - ✓ I69.191 Dysphagia following nontraumatic intracerebral hemorrhage
 - Use additional code to identify the type of dysphagia, if known (R13.1-)
 - I69.192 Facial weakness following nontraumatic intracerebral hemorrhage
 - Facial droop following nontraumatic intracerebral hemorrhage
 - I69.193 Ataxia following nontraumatic intracerebral hemorrhage
 - I69.198 Other sequelae of nontraumatic intracerebral hemorrhage
 - Alteration of sensations following nontraumatic intracerebral hemorrhage
 - Disturbance of vision following nontraumatic intracerebral hemorrhage
 - Use additional** code to identify the sequelae
- I69.2 Sequelae of other nontraumatic intracranial hemorrhage
 - I69.20 Unspecified sequelae of other nontraumatic intracranial hemorrhage
 - ✓ I69.21 Cognitive deficits following other nontraumatic intracranial hemorrhage
 - I69.22 Speech and language deficits following other nontraumatic intracranial hemorrhage
 - ✓ I69.220 Aphasia following other nontraumatic intracranial hemorrhage
 - ✓ I69.221 Dysphasia following other nontraumatic intracranial hemorrhage
 - ✓ I69.222 Dysarthria following other nontraumatic intracranial hemorrhage
 - ✓ I69.223 Fluency disorder following other nontraumatic intracranial

- hemorrhage
- Stuttering following nontraumatic subarachnoid hemorrhage
- ✓ I69.228 Other speech and language deficits following other nontraumatic intracranial hemorrhage
- I69.29 Other sequelae of other nontraumatic intracranial hemorrhage
 - ✓ I69.290 Apraxia following other nontraumatic intracranial hemorrhage
 - ✓ I69.291 Dysphagia following other nontraumatic intracranial hemorrhage
Use additional code to identify the type of dysphagia, if known (R13.1-)
 - I69.292 Facial weakness following other nontraumatic intracranial hemorrhage
Facial droop following other nontraumatic intracranial hemorrhage
 - I69.293 Ataxia following other nontraumatic intracranial hemorrhage
 - I69.298 Other sequelae other nontraumatic intracranial hemorrhage
Alteration of sensation following other nontraumatic intracranial hemorrhage
Disturbance of vision following other nontraumatic intracranial hemorrhage
Use additional code to identify the sequelae
- I69.3 Sequelae of cerebral infarction
 - Sequelae of stroke NOS
 - I69.30 Unspecified sequelae of cerebral infarction
 - ✓ I69.31 Cognitive deficits following cerebral infarction
 - I69.32 Speech and language deficits following cerebral infarction
 - ✓ I69.320 Aphasia following cerebral infarction
 - ✓ I69.321 Dysphasia following cerebral infarction
 - ✓ I69.322 Dysarthria following cerebral infarction
 - ✓ I69.323 Fluency disorder following cerebral infarction
Stuttering following nontraumatic subarachnoid hemorrhage
 - ✓ I69.328 Other speech and language deficits following cerebral infarction
 - I69.39 Other sequelae of cerebral infarction
 - ✓ I69.390 Apraxia following cerebral infarction
 - ✓ I69.391 Dysphagia following cerebral infarction
Use additional code to identify the type of dysphagia, if known (R13.1-)
 - I69.392 Facial weakness following cerebral infarction
Facial droop following cerebral infarction
 - I69.393 Ataxia following cerebral infarction
 - I69.398 Other sequelae of cerebral infarction
Alteration of sensation following cerebral infarction
Disturbance of vision following cerebral infarction
Use additional code to identify the sequelae
- I69.8 Sequelae of other cerebrovascular diseases
 - Excludes1:** sequelae of traumatic intracranial injury (S06.-)
 - I69.80 Unspecified sequelae of other cerebrovascular disease
 - ✓ I69.81 Cognitive deficits following other cerebrovascular disease
 - I69.82 Speech and language deficits following other cerebrovascular disease
 - ✓ I69.820 Aphasia following other cerebrovascular disease

- ✓ I69.821 Dysphasia following other cerebrovascular disease
- ✓ I69.822 Dysarthria following other cerebrovascular disease
- ✓ I69.823 Fluency disorder following other cerebrovascular disease
Stuttering following nontraumatic subarachnoid hemorrhage
- ✓ I69.828 Other speech and language deficits following other cerebrovascular disease
- I69.89 Other sequelae of other cerebrovascular disease
 - ✓ I69.890 Apraxia following other cerebrovascular disease
 - ✓ I69.891 Dysphagia following other cerebrovascular disease
Use additional code to identify the type of dysphagia, if known (R13.1-)
 - I69.892 Facial weakness following other cerebrovascular disease
Facial droop following other cerebrovascular disease
 - I69.893 Ataxia following other cerebrovascular disease
 - I69.898 Other sequelae of other cerebrovascular disease
Alteration of sensation following other cerebrovascular disease
Disturbance of vision following other cerebrovascular disease
Use additional code to identify the sequelae
- I69.9 Sequelae of unspecified cerebrovascular diseases
Excludes1: sequelae of stroke (I63.3)
 sequelae of traumatic intracranial injury (S06.-)
 - I69.90 Unspecified sequelae of unspecified cerebrovascular disease
 - ✓ I69.91 Cognitive deficits following unspecified cerebrovascular disease
 - I69.92 Speech and language deficits following unspecified cerebrovascular disease
 - ✓ I69.920 Aphasia following unspecified cerebrovascular disease
 - ✓ I69.921 Dysphasia following unspecified cerebrovascular disease
 - ✓ I69.922 Dysarthria following unspecified cerebrovascular disease
 - ✓ I69.923 Fluency disorder following unspecified cerebrovascular disease
Stuttering following nontraumatic subarachnoid hemorrhage
 - ✓ I69.928 Other speech and language deficits following unspecified cerebrovascular disease
 - I69.99 Other sequelae of unspecified cerebrovascular disease
 - ✓ I69.990 Apraxia following unspecified cerebrovascular disease
 - ✓ I69.991 Dysphagia following unspecified cerebrovascular disease
Use additional code to identify the type of dysphagia, if known (R13.1-)
 - I69.992 Facial weakness following unspecified cerebrovascular disease
Facial droop following unspecified cerebrovascular disease
 - I69.993 Ataxia following unspecified cerebrovascular disease
 - I69.998 Other sequelae following unspecified cerebrovascular disease
Alteration in sensation following unspecified cerebrovascular disease
Disturbance of vision following unspecified cerebrovascular disease
Use additional code to identify the sequelae

Ch. 10 Diseases of the respiratory system (J00-J99)

Acute upper respiratory infections (J00-J06)

- ◈ J02 Acute pharyngitis

- ◈ J03 Acute tonsillitis
- ◈ J04 Acute laryngitis and tracheitis
- ◈ J05 Acute obstructive laryngitis [croup] and epiglottitis

Other diseases of upper respiratory tract (J30-J39)

- ◈ J31 Chronic rhinitis, nasopharyngitis and pharyngitis
- J35 Chronic diseases of tonsils and adenoids
 - Use additional** code to identify:
 - exposure to environmental tobacco smoke (Z77.22)
 - exposure to tobacco smoke in the perinatal period (P96.81)
 - history of tobacco use (Z87.891)
 - occupational exposure to environmental tobacco smoke (Z57.31)
 - tobacco dependence (F17.-)
 - tobacco use (Z72.0)
 - J35.1 Hypertrophy of tonsils
 - Enlargement of tonsils
 - Excludes1:** hypertrophy of tonsils with tonsillitis (J35.0-)
 - J35.2 Hypertrophy of adenoids
 - Enlargement of adenoids
 - Excludes1:** hypertrophy of adenoids with adenoiditis (J35.0-)
 - J35.3 Hypertrophy of tonsils with hypertrophy of adenoids
 - Excludes1:** hypertrophy of tonsils and adenoids with tonsillitis and adenoiditis (J35.03)
- J37 Chronic laryngitis and laryngotracheitis
 - J37.0 Chronic laryngitis
 - Catarrhal laryngitis
 - Hypertrophic laryngitis
 - Sicca laryngitis
 - Excludes2:** acute laryngitis (J04.0)
 - obstructive (acute) laryngitis (J05.0)
- J38 Diseases of vocal cords and larynx, not elsewhere classified
 - J38.0 Paralysis of vocal cords and larynx
 - Laryngoplegia
 - Paralysis of glottis
 - J38.00 Paralysis of vocal cords and larynx, unspecified
 - J38.01 Paralysis of vocal cords and larynx, unilateral
 - J38.02 Paralysis of vocal cords and larynx, bilateral
 - J38.1 Polyp of vocal cord and larynx
 - Excludes1:** adenomatous polyps (D14.1)
 - J38.2 Nodules of vocal cords
 - Chorditis (fibrinous)(nodosa)(tuberosa)
 - Singer's nodes
 - Teacher's nodes
 - J38.3 Other diseases of vocal cords
 - Abscess of vocal cords
 - Cellulitis of vocal cords
 - Granuloma of vocal cords
 - Leukokeratosis of vocal cords
 - Leukoplakia of vocal cords

- J38.4 Edema of larynx
 - Edema (of) glottis
 - Subglottic edema
 - Supraglottic edema**Excludes1:** acute obstructive laryngitis [croup] (J05.0)
edematous laryngitis (J04.0)
- J38.5 Laryngeal spasm
 - Laryngismus (stridulus)
- J38.6 Stenosis of larynx
- J38.7 Other diseases of larynx
 - Abscess of larynx
 - Cellulitis of larynx
 - Disease of larynx NOS
 - Necrosis of larynx
 - Pachyderma of larynx
 - Perichondritis of larynx
 - Ulcer of larynx
- J39.3 Upper respiratory tract hypersensitivity reaction, site unspecified
 Excludes1: hypersensitivity reaction of upper respiratory tract, such as:
extrinsic allergic alveolitis (J67.9)
pneumoconiosis (J60-J67.9)
- J39.8 Other specified diseases of upper respiratory tract
- J39.9 Disease of upper respiratory tract, unspecified

Lung diseases due to external agents (J60-J70)

- J69 Pneumonitis due to solids and liquids
 Excludes1: neonatal aspiration syndromes (P24.-)
postprocedural pneumonitis (J95.4)
- J69.0 Pneumonitis due to inhalation of food and vomit
 - Aspiration pneumonia NOS
 - Aspiration pneumonia (due to) food (regurgitated)
 - Aspiration pneumonia (due to) gastric secretions
 - Aspiration pneumonia (due to) milk
 - Aspiration pneumonia (due to) vomit**Code also** any associated foreign body in respiratory tract (T17.-)
Excludes1: chemical pneumonitis due to anesthesia (J95.4)
obstetric aspiration pneumonitis (O74.0)

Intraoperative and postprocedural complications and disorders of respiratory system, not elsewhere classified (J95)

- J95 Intraoperative and postprocedural complications and disorders of respiratory system, not elsewhere classified
 Excludes2: aspiration pneumonia (J69.-)
emphysema (subcutaneous) resulting from a procedure (T81.82)
hypostatic pneumonia (J18.2)
pulmonary manifestations due to radiation (J70.0- J70.1)
- J95.0 Tracheostomy complications
 - J95.00 Unspecified tracheostomy complication

- J95.01 Hemorrhage from tracheostomy stoma
- J95.02 Infection of tracheostomy stoma
Use additional code to identify type of infection, such as:
 cellulitis of neck (L03.8)
 sepsis (A40, A41.-)
- J95.03 Malfunction of tracheostomy stoma
 Mechanical complication of tracheostomy stoma
 Obstruction of tracheostomy airway
 Tracheal stenosis due to tracheostomy
- J95.04 Tracheo-esophageal fistula following tracheostomy
- J95.09 Other tracheostomy complication

Ch. 11 Diseases of the digestive system (K00-K95)

Diseases of oral cavity and salivary glands (K00-K14)

- ♦ K00 Disorders of tooth development and eruption
- K08 Other disorders of teeth and supporting structures
Excludes2: dentofacial anomalies [including malocclusion] (M26.-)
 disorders of jaw (M27.-)
- ♦ K08.2 Atrophy of edentulous alveolar ridge
- K13 Other diseases of lip and oral mucosa
 - K13.7 Other and unspecified lesions of oral mucosa
 - K13.70 Unspecified lesions of oral mucosa
 - K13.79 Other lesions of oral mucosa
 - Focal oral mucinosis
- K14 Diseases of tongue
 - K14.0 Glossitis
 - Abscess of tongue
 - Ulceration (traumatic) of tongue
 - Excludes1:** atrophic glossitis (K14.4)
 - K14.4 Atrophy of tongue papillae
 - Atrophic glossitis
 - K14.5 Plicated tongue
 - Fissured tongue
 - Furrowed tongue
 - Scrotal tongue
 - Excludes1:** fissured tongue, congenital (Q38.3)
 - K14.8 Other diseases of tongue
 - Atrophy of tongue
 - Crenated tongue
 - Enlargement of tongue
 - Glossocele
 - Glossoptosis
 - Hypertrophy of tongue
- K21 Gastro-esophageal reflux disease
Excludes1: newborn esophageal reflux (P78.83)
- K21.0 Gastro-esophageal reflux disease with esophagitis
 - Reflux esophagitis

K21.9 Gastro-esophageal reflux disease without esophagitis
Esophageal reflux NOS

Ch. 13 Diseases of the musculoskeletal system and connective tissue (M00-M99)

Dentofacial anomalies [including malocclusion] and other disorders of jaw (M26-M27)

M26 Dentofacial anomalies [including malocclusion]

M26.0 Major anomalies of jaw size

Excludes1: acromegaly (E22.0)

Robin's syndrome (Q87.0)

M26.00 Unspecified anomaly of jaw size

M26.01 Maxillary hyperplasia

M26.02 Maxillary hypoplasia

M26.03 Mandibular hyperplasia

M26.04 Mandibular hypoplasia

M26.05 Macrogenia

M26.06 Microgenia

M26.07 Excessive tuberosity of jaw

Entire maxillary tuberosity

M26.09 Other specified anomalies of jaw size

M26.1 Anomalies of jaw-cranial base relationship

M26.10 Unspecified anomaly of jaw-cranial base relationship

M26.11 Maxillary asymmetry

M26.12 Other jaw asymmetry

M26.19 Other specified anomalies of jaw-cranial base relationship

M26.2 Anomalies of dental arch relationship

M26.20 Unspecified anomaly of dental arch relationship

M26.21 Malocclusion, Angle's class

M26.211 Malocclusion, Angle's class I

Neutro-occlusion

M26.212 Malocclusion, Angle's class II

Disto-occlusion Division I

Disto-occlusion Division II

M26.213 Malocclusion, Angle's class III

Mesio-occlusion

M26.219 Malocclusion, Angle's class, unspecified

M26.22 Open occlusal relationship

M26.220 Open anterior occlusal relationship

Anterior openbite

M26.221 Open posterior occlusal relationship

Posterior openbite

M26.23 Excessive horizontal overlap

Excessive horizontal overjet

M26.24 Reverse articulation

Crossbite (anterior) (posterior)

M26.25 Anomalies of interarch distance

M26.29 Other anomalies of dental arch relationship

Midline deviation of dental arch

- Overbite (excessive) deep
- Overbite (excessive) horizontal
- Overbite (excessive) vertical
- Posterior lingual occlusion of mandibular teeth
- ♦ M26.3 Anomalies of tooth position of fully erupted tooth or teeth
- M26.4 Malocclusion, unspecified
- M26.5 Dentofacial functional abnormalities
 - Excludes1:** bruxism (F45.8)
 - teeth-grinding NOS (F45.8)
- M26.50 Dentofacial functional abnormalities, unspecified
- M26.51 Abnormal jaw closure
- M26.52 Limited mandibular range of motion
- M26.53 Deviation in opening and closing of the mandible
- M26.54 Insufficient anterior guidance
 - Insufficient anterior occlusal guidance
- M26.55 Centric occlusion maximum intercuspation discrepancy
 - Excludes1:** centric occlusion NOS (M26.59)
- M26.56 Non-working side interference
 - Balancing side interference
- M26.57 Lack of posterior occlusal support
- M26.59 Other dentofacial functional abnormalities
 - Centric occlusion (of teeth) NOS
 - Malocclusion due to abnormal swallowing
 - Malocclusion due to mouth breathing
 - Malocclusion due to tongue, lip or finger habits
- M26.6 Temporomandibular joint disorders
 - Excludes2:** current temporomandibular joint dislocation (S03.0)
 - current temporomandibular joint sprain (S03.4)
- M26.60 Temporomandibular joint disorder, unspecified
- M26.61 Adhesions and ankylosis of temporomandibular joint
- M26.62 Arthralgia of temporomandibular joint
- M26.63 Articular disc disorder of temporomandibular joint
- M26.69 Other specified disorders of temporomandibular joint
- M26.7 Dental alveolar anomalies
 - M26.70 Unspecified alveolar anomaly
 - M26.71 Alveolar maxillary hyperplasia
 - M26.72 Alveolar mandibular hyperplasia
 - M26.73 Alveolar maxillary hypoplasia
 - M26.74 Alveolar mandibular hypoplasia
 - M26.79 Other specified alveolar anomalies
- M26.8 Other dentofacial anomalies
 - M26.81 Anterior soft tissue impingement
 - Anterior soft tissue impingement on teeth
 - M26.82 Posterior soft tissue impingement
 - Posterior soft tissue impingement on teeth
 - M26.89 Other dentofacial anomalies
- M26.9 Dentofacial anomaly, unspecified

Ch. 16 Certain conditions originating in the perinatal period (P00-P96)*Other disorders originating in the perinatal period (P90-P96)*

P92 Feeding problems of newborn

Excludes1: feeding problems in child over 28 days old (R63.3)

P92.2 Slow feeding of newborn

P92.6 Failure to thrive in newborn

Excludes1: failure to thrive in child over 28 days old (R62.51)

P92.8 Other feeding problems of newborn

P92.9 Feeding problem of newborn, unspecified

Ch. 17 Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)*Congenital malformations of the nervous system (Q00-Q07)*

Q02 Microcephaly

♦ Q03 Congenital hydrocephalus

Q04 Other congenital malformations of brain

Q04.3 Other reduction deformities of brain

Absence of part of brain

Agenesis of part of brain

Agyria

Aplasia of part of brain

Hydranencephaly

Hypoplasia of part of brain

Lissencephaly

Microgyria

Pachygyria

Excludes1: congenital malformations of corpus callosum (Q04.0)

♦ Q05 Spina bifida

Congenital malformations of eye, ear, face and neck (Q10-Q18)

Q16 Congenital malformations of ear causing impairment of hearing

Excludes1: congenital deafness (H90.-)

Q16.0 Congenital absence of (ear) auricle

Q16.1 Congenital absence, atresia and stricture of auditory canal (external)

Congenital atresia or stricture of osseous meatus

Q16.2 Absence of eustachian tube

Q16.3 Congenital malformation of ear ossicles

Congenital fusion of ear ossicles

Q16.4 Other congenital malformations of middle ear

Congenital malformation of middle ear NOS

Q16.5 Congenital malformation of inner ear

Congenital anomaly of membranous labyrinth

Congenital anomaly of organ of Corti

Q16.9 Congenital malformation of ear causing impairment of hearing, unspecified

Congenital absence of ear NOS

Q17 Other congenital malformations of ear

Excludes1: congenital malformations of ear with impairment of hearing (Q16.0-Q16.9)
preauricular sinus (Q18.1)

- Q17.0 Accessory auricle
 - Accessory tragus
 - Polyotia
 - Preauricular appendage or tag
 - Supernumerary ear
 - Supernumerary lobule
- Q17.1 Macrotia
- Q17.2 Microtia
- Q17.3 Other misshapen ear
 - Pointed ear
- Q17.4 Misplaced ear
 - Low-set ears
 - Excludes1:** cervical auricle (Q18.2)
- Q17.5 Prominent ear
 - Bat ear
- Q17.8 Other specified congenital malformations of ear
 - Congenital absence of lobe of ear
- Q17.9 Congenital malformation of ear, unspecified
 - Congenital anomaly of ear NOS

Congenital malformations of the respiratory system (Q30-Q34)

- Q31 Congenital malformations of larynx
 - Excludes1:** congenital laryngeal stridor NOS (P28.89)
 - Q31.0 Web of larynx
 - Glottic web of larynx
 - Subglottic web of larynx
 - Web of larynx NOS
 - Q31.1 Congenital subglottic stenosis
 - Q31.2 Laryngeal hypoplasia
 - Q31.3 Laryngocele
 - Q31.5 Congenital laryngomalacia
 - Q31.8 Other congenital malformations of larynx
 - Absence of larynx
 - Agenesis of larynx
 - Atresia of larynx
 - Congenital cleft thyroid cartilage
 - Congenital fissure of epiglottis
 - Congenital stenosis of larynx NEC
 - Posterior cleft of cricoid cartilage
 - Q31.9 Congenital malformation of larynx, unspecified

Cleft lip and cleft palate (Q35-Q37)

Use additional code to identify associated malformation of the nose (Q30.2)

Excludes1: Robin's syndrome (Q87.0)

- Q35 Cleft palate
 - Includes:** fissure of palate
 - palatoschisis
 - Excludes1:** cleft palate with cleft lip (Q37.-)

- Q35.1 Cleft hard palate
- Q35.3 Cleft soft palate
- Q35.5 Cleft hard palate with cleft soft palate
- Q35.7 Cleft uvula
- Q35.9 Cleft palate, unspecified
Cleft palate NOS
- Q36 Cleft lip
 - Includes:** cheiloschisis
congenital fissure of lip
harelip
labium leporinum
 - Excludes1:** cleft lip with cleft palate (Q37.-)
 - Q36.0 Cleft lip, bilateral
 - Q36.1 Cleft lip, median
 - Q36.9 Cleft lip, unilateral
Cleft lip NOS
- Q37 Cleft palate with cleft lip
 - Includes:** cheilopalatoschisis
 - Q37.0 Cleft hard palate with bilateral cleft lip
 - Q37.1 Cleft hard palate with unilateral cleft lip
Cleft hard palate with cleft lip NOS
 - Q37.2 Cleft soft palate with bilateral cleft lip
 - Q37.3 Cleft soft palate with unilateral cleft lip
Cleft soft palate with cleft lip NOS
 - Q37.4 Cleft hard and soft palate with bilateral cleft lip
 - Q37.5 Cleft hard and soft palate with unilateral cleft lip
Cleft hard and soft palate with cleft lip NOS
 - Q37.8 Unspecified cleft palate with bilateral cleft lip
 - Q37.9 Unspecified cleft palate with unilateral cleft lip
Cleft palate with cleft lip NOS

Other congenital malformations of the digestive system (Q38-Q45)

- Q38 Other congenital malformations of tongue, mouth and pharynx
 - Excludes1:** dentofacial anomalies (M26.-)
macrostomia (Q18.4)
microstomia (Q18.5)
 - Q38.0 Congenital malformations of lips, not elsewhere classified
Congenital fistula of lip
Congenital malformation of lip NOS
Van der Woude's syndrome
 - Excludes1:** cleft lip (Q36.-)
cleft lip with cleft palate (Q37.-)
macrocheilia (Q18.6)
microcheilia (Q18.7)
 - Q38.1 Ankyloglossia
Tongue tie
 - Q38.2 Macroglossia
Congenital hypertrophy of tongue

✓ Q38.3 Other congenital malformations of tongue

Aglossia
Bifid tongue
Congenital adhesion of tongue
Congenital fissure of tongue
Congenital malformation of tongue NOS
Double tongue
Hypoglossia
Hypoplasia of tongue
Microglossia

Q38.3 is an option for a diagnosis of tongue thrust.

Q38.4 Congenital malformations of salivary glands and ducts

Atresia of salivary glands and ducts
Congenital absence of salivary glands and ducts
Congenital accessory salivary glands and ducts
Congenital fistula of salivary gland

Q38.5 Congenital malformations of palate, not elsewhere classified

Congenital absence of uvula
Congenital malformation of palate NOS
Congenital high arched palate

Excludes1: cleft palate (Q35.-)
cleft palate with cleft lip (Q37.-)

Q38.6 Other congenital malformations of mouth

Congenital malformation of mouth NOS

Q38.7 Congenital pharyngeal pouch

Congenital diverticulum of pharynx

Excludes1: pharyngeal pouch syndrome (D82.1)

Q38.8 Other congenital malformations of pharynx

Congenital malformation of pharynx NOS
Imperforate pharynx

Congenital malformations and deformations of the musculoskeletal system (Q65-Q79)

Q67 Congenital musculoskeletal deformities of head, face, spine and chest

Q67.0 Congenital facial asymmetry

Q67.4 Other congenital deformities of skull, face and jaw

Congenital depressions in skull
Congenital hemifacial atrophy or hypertrophy
Deviation of nasal septum, congenital
Squashed or bent nose, congenital

Excludes1: dentofacial anomalies [including malocclusion] (M26-)
syphilitic saddle nose (A50.5)

Chromosomal abnormalities, not elsewhere classified (Q90-Q99)

Q90 Down syndrome

Use additional code(s) to identify any associated physical conditions and degree of intellectual disabilities (F70-F79)

Q90.0 Trisomy 21, nonmosaicism (meiotic nondisjunction)

Q90.1 Trisomy 21, mosaicism (mitotic nondisjunction)

Q90.2 Trisomy 21, translocation

- Q90.9 Down syndrome, unspecified
 - Trisomy 21 NOS
- Q91 Trisomy 18 and Trisomy 13
 - Q91.0 Trisomy 18, nonmosaicism (meiotic nondisjunction)
 - Q91.1 Trisomy 18, mosaicism (mitotic nondisjunction)
 - Q91.2 Trisomy 18, translocation
 - Q91.3 Trisomy 18, unspecified
 - Q91.4 Trisomy 13, nonmosaicism (meiotic nondisjunction)
 - Q91.5 Trisomy 13, mosaicism (mitotic nondisjunction)
 - Q91.6 Trisomy 13, translocation
 - Q91.7 Trisomy 13, unspecified
- Q93 Monosomies and deletions from the autosomes, not elsewhere classified
 - Q93.3 Deletion of short arm of chromosome 4
 - Wolff-Hirschorn syndrome
 - Q93.4 Deletion of short arm of chromosome 5
 - Cri-du-chat syndrome
 - Q93.8 Other deletions from the autosomes
 - Q93.81 Velo-cardio-facial syndrome
 - Deletion 22q11.2
- Q98 Other sex chromosome abnormalities, male phenotype, not elsewhere classified
 - Q98.0 Klinefelter syndrome karyotype 47, XXY
 - Q98.1 Klinefelter syndrome, male with more than two X chromosomes

Ch. 18 Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

Symptoms and signs involving the digestive system and abdomen (R10-R19)

- R12 Heartburn
 - Excludes1:** dyspepsia NOS (R10.13)
 - functional dyspepsia (K30)
- R13 Aphagia and dysphagia
 - ✓ R13.0 Aphagia
 - Inability to swallow
 - Excludes1:** psychogenic aphagia (F50.9)
 - R13.1 Dysphagia
 - Code first,** if applicable, dysphagia following cerebrovascular disease (I69. with final characters -91)
 - Excludes1:** psychogenic dysphagia (F45.8)
 - ✓ R13.10 Dysphagia, unspecified
 - Difficulty in swallowing NOS
 - ✓ R13.11 Dysphagia, oral phase
 - ✓ R13.12 Dysphagia, oropharyngeal phase
 - ✓ R13.13 Dysphagia, pharyngeal phase
 - ✓ R13.14 Dysphagia, pharyngoesophageal phase
 - ✓ R13.19 Other dysphagia
 - Cervical dysphagia
 - Neurogenic dysphagia

Symptoms and signs involving the nervous and musculoskeletal systems (R25-R29)

- R27 Other lack of coordination
 - Excludes1:** ataxic gait (R26.0)
 - hereditary ataxia (G11.-)
 - vertigo NOS (R42)
 - R27.0 Ataxia, unspecified
 - Excludes1:** ataxia following cerebrovascular disease (I69. with final characters -93)
 - R27.8 Other lack of coordination
 - R27.9 Unspecified lack of coordination
 - R29 Other symptoms and signs involving the nervous and musculoskeletal systems
 - R29.8 Other symptoms and signs involving the nervous and musculoskeletal systems
 - R29.81 Other symptoms and signs involving the nervous system
 - R29.810 Facial weakness
 - Facial droop
 - Excludes1:** Bell's palsy (G51.0)
 - facial weakness following cerebrovascular disease (I69. with final characters-92)
 - R29.818 Other symptoms and signs involving the nervous system
- Symptoms and signs involving cognition, perception, emotional state and behavior (R40-R46)*
- Excludes1:** symptoms and signs constituting part of a pattern of mental disorder (F01-F99)
- R41 Other symptoms and signs involving cognitive functions and awareness
 - Excludes1:** dissociative [conversion] disorders (F44.-)
 - mild cognitive impairment, so stated (G31.84)
 - R41.0 Disorientation, unspecified
 - Confusion NOS
 - Delirium NOS
 - R41.1 Anterograde amnesia
 - R41.2 Retrograde amnesia
 - R41.3 Other amnesia
 - Amnesia NOS
 - Memory loss NOS
 - Excludes1:** amnesic disorder due to known physiologic condition (F04)
 - amnesic syndrome due to psychoactive substance use (F10-F19 with 5th character .6)
 - transient global amnesia (G45.4)
 - R41.4 Neurologic neglect syndrome
 - Asomatognosia
 - Hemi-akinesia
 - Hemi-inattention
 - Hemispatial neglect
 - Left-sided neglect
 - Sensory neglect
 - Visuospatial neglect
 - Excludes1:** visuospatial deficit (R41.842)
 - R41.8 Other symptoms and signs involving cognitive functions and awareness
 - R41.81 Age-related cognitive decline
 - Senility NOS
 - R41.82 Altered mental status, unspecified

Change in mental status NOS

Excludes1: altered level of consciousness (R40.-)

altered mental status due to known condition - code to condition
delirium NOS (R41.0)

R41.83 Borderline intellectual functioning
IQ level 71 to 84

Excludes1: intellectual disabilities (F70-F79)

R41.84 Other specified cognitive deficit

✓ R41.840 Attention and concentration deficit

Excludes1: attention-deficit hyperactivity disorders (F90.-)

✓ R41.841 Cognitive communication deficit

✓ R41.842 Visuospatial deficit

✓ R41.843 Psychomotor deficit

✓ R41.844 Frontal lobe and executive function deficit

R41.89 Other symptoms and signs involving cognitive functions and awareness
Anosognosia

R41.9 Unspecified symptoms and signs involving cognitive functions and awareness

R44 Other symptoms and signs involving general sensations and perceptions

Excludes1: alcoholic hallucinations (F1.5)

hallucinations in drug psychosis (F11-F19 with .5)

hallucinations in mood disorders with psychotic symptoms (F30.2, F31.5, F32.3, F33.3)

hallucinations in schizophrenia, schizotypal and delusional disorders (F20-F29)

Excludes2: disturbances of skin sensation (R20.-)

R44.0 Auditory hallucinations

Symptoms and signs involving speech and voice (R47-R49)

R47 Speech disturbances, not elsewhere classified

Excludes1: autism (F84.0)

cluttering (F80.81)

specific developmental disorders of speech and language (F80.-)

stuttering (F80.81)

R47.0 Dysphasia and aphasia

✓ R47.01 Aphasia

Excludes1: aphasia following cerebrovascular disease (I69. with final characters -20)

progressive isolated aphasia (G31.01)

✓ R47.02 Dysphasia

Excludes1: dysphasia following cerebrovascular disease (I69. with final characters -21)

✓ R47.1 Dysarthria and anarthria

Excludes1: dysarthria following cerebrovascular disease (I69. with final characters -22)

R47.8 Other speech disturbances

Excludes1: dysarthria following cerebrovascular disease (I69. with final characters -28)

✓ R47.81 Slurred speech

✓ R47.82 Fluency disorder in conditions classified elsewhere

Stuttering in conditions classified elsewhere

Code first: underlying disease or condition, such as:

For more information on the use of the "other specified cognitive deficit" codes, see: bit.ly/17Gb77v

Parkinson's disease (G20)

Excludes1: adult onset fluency disorder (F98.5)

childhood onset fluency disorder (F80.81)

fluency disorder (stuttering) following cerebrovascular disease (I69. with final characters-23)

✓ R47.89 Other speech disturbances

R47.9 Unspecified speech disturbances

R48 Dyslexia and other symbolic dysfunctions, not elsewhere classified

Excludes1: specific developmental disorders of scholastic skills (F81.-)

✓ R48.0 Dyslexia and alexia

✓ R48.1 Agnosia

Astereognosia (astereognosis)

Autotopagnosia

Excludes1: visual object agnosia H53.16

✓ R48.2 Apraxia

Excludes1: apraxia following cerebrovascular disease (I69. with final characters -90)

R48.3 Visual agnosia

Prosopagnosia

Simultanagnosia (asimultanagnosia)

✓ R48.8 Other symbolic dysfunctions

Acalculia

Agraphia

R48.9 Unspecified symbolic dysfunctions

R49 Voice and resonance disorders

Excludes1: psychogenic voice and resonance disorders (F44.4)

✓ R49.0 Dysphonia

Hoarseness

✓ R49.1 Aphonia

Loss of voice

R49.2 Hypernasality and hyponasality

✓ R49.21 Hypernasality

✓ R49.22 Hyponasality

✓ R49.8 Other voice and resonance disorders

R49.9 Unspecified voice and resonance disorder

Change in voice NOS

Resonance disorder NOS

R48.8 can be used to capture neurological language impairments when there is documented neurological information to support the diagnosis. Unless caused by stroke (I69.-), cognitive communication problems may also be captured here or with **R41.841** (see bit.ly/17Gb77v for more on the use of R41.841).

General symptoms and signs (R50-R69)

R62 Lack of expected normal physiological development in childhood and adults

Excludes1: delayed puberty (E30.0)

gonadal dysgenesis (Q99.1)

hypopituitarism (E23.0)

✓ R62.0 Delayed milestone in childhood

Delayed attainment of expected physiological developmental stage

Late talker

Late walker

R62.5 Other and unspecified lack of expected normal physiological development in childhood

Excludes1: HIV disease resulting in failure to thrive (B20)

physical retardation due to malnutrition (E45)

R62.50 Unspecified lack of expected normal physiological development in childhood
Infantilism NOS

R62.51 Failure to thrive (child)
Failure to gain weight

Excludes1: failure to thrive in child under 28 days old (P92.6)

R63.3 Feeding difficulties
Feeding problem (elderly) (infant) NOS

Excludes1: feeding problems of newborn (P92.-)
infant feeding disorder of nonorganic origin (F98.2-)

R63.4 Abnormal weight loss

Abnormal findings on diagnostic imaging and in function studies, without diagnosis (R90-R94)

R94 Abnormal results of function studies

R94.0 Abnormal results of function studies of central nervous system

R94.01 Abnormal electroencephalogram [EEG]

R94.02 Abnormal brain scan

R94.09 Abnormal results of other function studies of central nervous system

R94.1 Abnormal results of function studies of peripheral nervous system and special senses

R94.12 Abnormal results of function studies of ear and other special senses

R94.120 Abnormal auditory function study

R94.121 Abnormal vestibular function study

R94.128 Abnormal results of other function studies of ear and other special
senses

Ch. 19 Injury, poisoning and certain other consequences of external causes (S00-T88)

Note: Use secondary code(s) from Chapter 20, External causes of morbidity, to indicate cause of injury. Codes within the T section that include the external cause do not require an additional external cause code

Use additional code to identify any retained foreign body, if applicable (Z18.-)

Excludes1: birth trauma (P10-P15)
obstetric trauma (O70-O71)

Note: The chapter uses the S-section for coding different types of injuries related to single body regions and the T-section to cover injuries to unspecified body regions as well as poisoning and certain other consequences of external causes.

Injuries to the head (S00-S09)

Includes: injuries of ear
injuries of eye
injuries of face [any part]
injuries of gum
injuries of jaw
injuries of oral cavity
injuries of palate
injuries of periorbital area
injuries of scalp
injuries of temporomandibular joint area
injuries of tongue
injuries of tooth

Excludes2: burns and corrosions (T20-T32)
 effects of foreign body in ear (T16)
 effects of foreign body in larynx (T17.3)
 effects of foreign body in mouth NOS (T18.0)
 effects of foreign body in nose (T17.0-T17.1)
 effects of foreign body in pharynx (T17.2)
 effects of foreign body on external eye (T15.-)
 frostbite (T33-T34)

S00 Superficial injury of head

◊ S00.5 Superficial injury of lip and oral cavity

S01 Open wound of head

◊ S01.5 Open wound of lip and oral cavity

◊ S02 Fracture of skull and facial bones

S06 Intracranial injury

Includes: traumatic brain injury

Excludes1: head injury NOS (S09.90)

◊ S06.0 Concussion

◊ S06.2 Diffuse traumatic brain injury

◊ S06.3 Focal traumatic brain injury

S12 Fracture of cervical vertebra and other parts of neck

S12.8 Fracture of other parts of neck

The appropriate 7th character is to be added to code S12.8

A - initial encounter

D - subsequent encounter

S - sequela

Hyoid bone

Larynx

Thyroid cartilage

Trachea

Injury, poisoning and certain other consequences of external causes (T07-T88)

T17 Foreign body in respiratory tract

The appropriate 7th character is to be added to each code from category T17

A - initial encounter

D - subsequent encounter

S - sequela

T17.2 Foreign body in pharynx

Foreign body in nasopharynx

Foreign body in throat NOS

T17.22 Food in pharynx

Bones in pharynx

Seeds in pharynx

T17.220 Food in pharynx causing asphyxiation

T17.3 Foreign body in larynx

T17.32 Food in larynx

Bones in larynx

Seeds in larynx

- T17.320 Food in larynx causing asphyxiation
- T17.4 Foreign body in trachea
 - T17.42 Food in trachea
 - Bones in trachea
 - Seeds in trachea
 - T17.420 Food in trachea causing asphyxiation
- T18 Foreign body in alimentary tract
 - Excludes2:** foreign body in pharynx (T17.2-)
 - ◊ T18.1 Foreign body in esophagus

Ch. 21 Factors Influencing Health Status and Contact with Health Services (Z00-Z99)

Note: Z codes (formerly "V codes" in ICD-9-CM) represent reasons for encounters. A corresponding procedure code must accompany a Z code if a procedure is performed. Categories Z00-Z99 are provided for occasions when circumstances other than a disease, injury, or external cause classifiable to categories A00-Y89 are recorded as 'diagnoses' or 'problems'. This can arise in two main ways:

Z codes
were
known as
"V codes"
in ICD-9-
CM

- a. When a person who may or may not be sick encounters the health services for some specific purpose, such as to receive limited care or service for a current condition, to donate an organ or tissue, to receive prophylactic vaccination (immunization), or to discuss a problem which is in itself not a disease or injury.
- b. When some circumstance or problem is present which influences the person's health status but is not in itself a current illness or injury.

Persons encountering health services for examinations (Z00-Z13)

Note: Nonspecific abnormal findings disclosed at the time of these examinations are classified to categories R70-R94.

Excludes1: examinations related to pregnancy and reproduction (Z30-Z36, Z39.-)

Z01 Encounter for other special examination without complaint, suspected or reported diagnosis

Includes: routine examination of specific system

Note: Codes from category Z01 represent the reason for the encounter. A separate procedure code is required to identify any examinations or procedures performed

Excludes1: encounter for examination for administrative purposes (Z02.-)

encounter for examination for suspected conditions, proven not to exist (Z03.-)

encounter for laboratory and radiologic examinations as a component of general medical examinations (Z00.0-)

encounter for laboratory, radiologic and imaging examinations for sign(s) and symptom(s) - code to the sign(s) or symptom(s)

Excludes2: screening examinations (Z11-Z13)

Z01.1 Encounter for examination of ears and hearing

Z01.10 Encounter for examination of ears and hearing without abnormal findings

Encounter for examination of ears and hearing NOS

Z01.11 Encounter for examination of ears and hearing with abnormal findings

Z01.110 Encounter for hearing examination following failed hearing screening

Z01.118 Encounter for examination of ears and hearing with other abnormal findings

Use additional code to identify abnormal findings

- Z01.12 Encounter for hearing conservation and treatment
 - Z02 Encounter for administrative examination
 - Z02.7 Encounter for issue of medical certificate
 - Excludes1:** encounter for general medical examination (Z00-Z01, Z02.0-Z02.6, Z02.8-Z02.9)
 - Z02.71 Encounter for disability determination
 - Encounter for issue of medical certificate of incapacity
 - Encounter for issue of medical certificate of invalidity
 - Z02.79 Encounter for issue of other medical certificate
- Z13 Encounter for screening for other diseases and disorders

Screening is the testing for disease or disease precursors in asymptomatic individuals so that early detection and treatment can be provided for those who test positive for the disease.

 - Excludes1:** encounter for diagnostic examination-code to sign or symptom
 - Z13.4 Encounter for screening for certain developmental disorders in childhood
 - Encounter for screening for developmental handicaps in early childhood
 - Excludes1:** routine development testing of infant or child (Z00.1-)
 - Z13.5 Encounter for screening for eye and ear disorders
 - Excludes2:** encounter for general hearing examination (Z01.1-)
 - encounter for general vision examination (Z01.0-)
 - Z13.8 Encounter for screening for other specified diseases and disorders
 - Excludes2:** screening for malignant neoplasms (Z12.-)
 - Z13.85 Encounter for screening for nervous system disorders
 - Z13.850 Encounter for screening for traumatic brain injury

Encounters for other specific health care (Z40-Z53)

Categories Z40-Z53 are intended for use to indicate a reason for care. They may be used for patients who have already been treated for a disease or injury, but who are receiving aftercare or prophylactic care, or care to consolidate the treatment, or to deal with a residual state

Excludes2: follow-up examination for medical surveillance after treatment (Z08-Z09)

- Z43 Encounter for attention to artificial openings
 - Includes:** closure of artificial openings
 - passage of sounds or bougies through artificial openings
 - reforming artificial openings
 - removal of catheter from artificial openings
 - toilet or cleansing of artificial openings
 - Excludes1:** artificial opening status only, without need for care (Z93.-)
 - complications of external stoma (J95.0-, K94.-, N99.5-)
 - Excludes2:** fitting and adjustment of prosthetic and other devices (Z44-Z46)
- Z43.0 Encounter for attention to tracheostomy
- Z44 Encounter for fitting and adjustment of external prosthetic device
 - Includes:** removal or replacement of external prosthetic device
 - Excludes1:** malfunction or other complications of device - see Alphabetical Index
 - presence of prosthetic device (Z97.-)
 - Z44.8 Encounter for fitting and adjustment of other external prosthetic devices
 - Z44.9 Encounter for fitting and adjustment of unspecified external prosthetic device
- Z45 Encounter for adjustment and management of implanted device
 - Includes:** removal or replacement of implanted device
 - Excludes1:** malfunction or other complications of device

presence of prosthetic and other devices (Z95-Z97)

Excludes2: encounter for fitting and adjustment of non-implanted device (Z46.-)

Z45.3 Encounter for adjustment and management of implanted devices of the special senses

Z45.32 Encounter for adjustment and management of implanted hearing device

Excludes1: Encounter for fitting and adjustment of hearing aid (Z46.1)

Z45.320 Encounter for adjustment and management of bone conduction device

Z45.321 Encounter for adjustment and management of cochlear device

Z45.328 Encounter for adjustment and management of other implanted hearing device

Z46 Encounter for fitting and adjustment of other devices

Includes: removal or replacement of other device

Excludes1: malfunction or other complications of device - see Alphabetical Index

Excludes2: encounter for fitting and management of implanted devices (Z45.-)

issue of repeat prescription only (Z76.0)

presence of prosthetic and other devices (Z95-Z97)

Z46.1 Encounter for fitting and adjustment of hearing aid

Excludes1: encounter for adjustment and management of implanted hearing device (Z45.32-)

Z51 Encounter for other aftercare

Z51.8 Encounter for other specified aftercare

Excludes1: holiday relief care (Z75.5)

Z51.89 Encounter for other specified aftercare

ICD-9 code **V57.3 Speech-language therapy** does not have an exact mapping in ICD-10 and is now captured under **Z51.89**.

Persons with potential health hazards related to socioeconomic and psychosocial circumstances (Z55-Z65)

Z57 Occupational exposure to risk factors

Z57.0 Occupational exposure to noise

Persons encountering health services in other circumstances (Z69-Z76)

Z73 Problems related to life management difficulty

Excludes2: problems related to socioeconomic and psychosocial circumstances (Z55-Z65)

Z73.8 Other problems related to life management difficulty

Z73.82 Dual sensory impairment

Persons with potential health hazards related to family and personal history and certain conditions influencing health status (Z77-Z99)

Code also any follow-up examination (Z08-Z09)

Z77 Other contact with and (suspected) exposures hazardous to health

Z77.1 Contact with and (suspected) exposure to environmental pollution and hazards in the physical environment

Z77.12 Contact with and (suspected) exposure to hazards in the physical environment

Z77.122 Contact with and (suspected) exposure to noise

◊ Z81 Family history of mental and behavioral disorders

Z82 Family history of certain disabilities and chronic diseases (leading to disablement)

Z82.2 Family history of deafness and hearing loss

Conditions classifiable to H90-H91

Z83 Family history of other specific disorders

- Excludes2:** contact with and (suspected) exposure to communicable disease in the family (Z20.-)
- Z83.5 Family history of eye and ear disorders
Conditions classifiable to H00-H53, H55-H83, H92-H95
Excludes2: family history of blindness and visual loss (Z82.1)
family history of deafness and hearing loss (Z82.2)
- Z83.52 Family history of ear disorders
Conditions classifiable to H60-H83, H92-H95
Excludes2: family history of deafness and hearing loss (Z82.2)
- Z86 Personal history of certain other diseases
Code first any follow-up examination after treatment (Z09)
- Z86.5 Personal history of mental and behavioral disorders
Conditions classifiable to F40-F59
Z86.59 Personal history of other mental and behavioral disorders
- Z87 Personal history of other diseases and conditions
Code first any follow-up examination after treatment (Z09)
- Z87.7 Personal history of (corrected) congenital malformations
Conditions classifiable to Q00-Q89 that have been repaired or corrected
- Z87.72 Personal history of (corrected) congenital malformations of nervous system and sense organs
Z87.721 Personal history of (corrected) congenital malformations of ear
- Z87.73 Personal history of (corrected) congenital malformations of digestive system
Z87.730 Personal history of (corrected) cleft lip and palate
- Z87.79 Personal history of other (corrected) congenital malformations
Z87.790 Personal history of (corrected) congenital malformations of face and neck
- Z87.8 Personal history of other specified conditions
Excludes2: personal history of self harm (Z91.5)
- Z87.82 Personal history of other (healed) physical injury and trauma
Conditions classifiable to S00-T88, except traumatic fractures
Z87.820 Personal history of traumatic brain injury
Excludes1: personal history of transient ischemic attack (TIA), and cerebral infarction without residual deficits (Z86.73)
- Z90 Acquired absence of organs, not elsewhere classified
Includes: postprocedural or post-traumatic loss of body part NEC
Excludes1: congenital absence
- Z90.0 Acquired absence of part of head and neck
Z90.02 Acquired absence of larynx
Z90.09 Acquired absence of other part of head and neck
Acquired absence of nose
Excludes2: teeth (K08.1)
- Z93 Artificial opening status
Excludes1: artificial openings requiring attention or management (Z43.-)
complications of external stoma (J95.0-, K94.-, N99.5-)
- Z93.0 Tracheostomy status
- Z96 Presence of other functional implants
Excludes2: complications of internal prosthetic devices, implants and grafts (T82-T85)
fitting and adjustment of prosthetic and other devices (Z44-Z46)
- Z96.2 Presence of otological and audiological implants

- Z96.20 Presence of otological and audiological implant, unspecified
- Z96.21 Cochlear implant status
- Z96.22 Myringotomy tube(s) status
- Z96.29 Presence of other otological and audiological implants
 - Presence of bone-conduction hearing device
 - Presence of eustachian tube stent
 - Stapes replacement
- Z96.3 Presence of artificial larynx
- Z97 Presence of other devices
 - Excludes1:** complications of internal prosthetic devices, implants and grafts (T82-T85)
 - fitting and adjustment of prosthetic and other devices (Z44-Z46)
- Z97.4 Presence of external hearing-aid

Instructional Notations

The following instructional notations are from the published *ICD-10-CM Tabular List of Diseases and Injuries* (ftp://ftp.cdc.gov/pub/Health_Statistics/NCHS/Publications/ICD10CM/2013/ICD10CM_FY2013_Full_PDF.zip).

Includes

The word 'Includes' appears immediately under certain categories to further define, or give examples of, the content of the category.

Excludes Notes

The ICD-10-CM has two types of excludes notes. Each note has a different definition for use but they are both similar in that they indicate that codes excluded from each other are independent of each other.

Excludes1

A type 1 Excludes note is a pure excludes. It means 'NOT CODED HERE!' An Excludes1 note indicates that the code excluded should never be used at the same time as the code above the Excludes1 note. An Excludes1 is used when two conditions cannot occur together, such as a congenital form versus an acquired form of the same condition.

Excludes2

A type 2 excludes note represents 'Not included here'. An excludes2 note indicates that the condition excluded is not part of the condition it is excluded from but a patient may have both conditions at the same time. When an Excludes2 note appears under a code it is acceptable to use both the code and the excluded code together.

Code First/Use Additional Code notes (etiology/manifestation paired codes)

Certain conditions have both an underlying etiology and multiple body system manifestations due to the underlying etiology. For such conditions the ICD-10-CM has a coding convention that requires the underlying condition be sequenced first followed by the manifestation. Wherever such a combination exists there is a 'use additional code' note at the etiology code, and a 'code first' note at the manifestation code. These instructional notes indicate the proper sequencing order of the codes, etiology followed by manifestation.

In most cases the manifestation codes will have in the code title, 'in diseases classified elsewhere.' Codes with this title area component of the etiology/ manifestation convention. The code title indicates that it is a manifestation code. 'In diseases classified elsewhere' codes are never permitted to be used as first listed or principal diagnosis codes. They must be used in conjunction with an underlying condition code and they must be listed following the underlying condition.

Code Also

A code also note instructs that 2 codes may be required to fully describe a condition but the sequencing of the two codes is discretionary, depending on the severity of the conditions and the reason for the encounter.

7th characters and placeholder X

For codes less than 6 characters that require a 7th character a placeholder X should be assigned for all characters less than 6. The 7th character must always be the 7th character of a code